

Dell OXTY28 數據表



Dell SFP-1G-T 1000Base-T 銅纜 100m RJ-45 連接器 SFP 收發器模塊

OXTY28

戴爾 OXTY28 SFP 收發器提供光纖連接以擴展您的網絡範圍。這種具有 SFP（小型可插拔）封裝的熱插拔收發器具有 RJ-45 連接器。戴爾網絡 1000BASE-T SFP 收發器可提供長達 100m 的 1.25GbE 連接。

此外，它還提供獨特的增強型數字診斷監控接口，允許實時訪問收發器溫度、激光器偏置電流、發射光功率、接收光功率和收發器電源電壓等器件運行參數。

規格

- 設備類型：SFP（mini-GBIC）收發器模塊
- 外形：插件模塊
- 連接技術：有線
- 佈線類型：1000Base-T
- 數據傳輸速率：1 Gbps
- 數據鏈路協議：GigE
- 最大傳輸距離：100m

兼容性

此 Dell OXTY28 與以下系統兼容：

- Dell EMC Networking N2200-ON
- Dell EMC Networking N3200-ON
- 戴爾易安信電源開關 Z9332F-ON
- 戴爾易安信電源開關 Z9432F-ON
- 戴爾網絡 C9010
- 戴爾網絡 N1500 系列
- 戴爾網絡 N2000 系列
- 戴爾網絡 N2024
- 戴爾網絡 N2024P
- 戴爾網絡 N2048
- 戴爾網絡 N3000 系列
- 戴爾網絡 N3024EF-ON
- 戴爾網絡 N3024EP-ON
- 戴爾網絡 N3024ET-ON
- 戴爾網絡 N3048EP-ON
- 戴爾網絡 N3048ET-ON
- 戴爾網絡 N4000 系列
- 戴爾網絡 N4032
- 戴爾網絡 N4032F
- 戴爾網絡 N4064
- 戴爾網絡 N4064F
- 戴爾網絡 S4048T-ON
- 戴爾網絡 S4112-ON
- 戴爾網絡 S4128
- 戴爾網絡 S4148
- 戴爾網絡 S4148U
- 戴爾網絡 S4810-ON
- 戴爾網絡 S5212F-ON
- 戴爾網絡 S5224F-ON
- 戴爾網絡 S5232F-ON
- 戴爾網絡 S5248F-ON
- 戴爾網絡 S5296F-ON

- 戴爾網絡 S6100
- 戴爾網絡 X1026
- 戴爾網絡 X1052
- 戴爾網絡 X4012
- 戴爾網絡 Z9100
- 電源連接器 3424
- 電源連接 3424 (PoE)
- 電源連接器 3424P
- 電源連接器 3448
- 電源連接器 3448P
- 電源連接器 3524
- 電源連接器 3524P
- 電源連接器 3548
- 電源連接 3548P
- 電源連接器 5524
- 電源連接器 5524P
- 電源連接器 5548
- PowerConnect 5548p
- 電源連接器 6224
- 電源連接器 6224F
- 電源連接器 6224P
- 電源連接器 6248
- 電源連接器 6248P
- 電源連接器 7024
- 電源連接器 7024F
- 電源連接器 7024P
- 電源連接器 7048
- 電源連接器 7048P
- 電源連接器 7048R
- 電源連接器 8024
- 電源連接器 8024F
- 電源連接 8100
- PowerConnect 8100 系列
- PowerConnect M6348
- PowerConnect M8024
- PowerEdge C4130
- PowerEdge C4140

- PowerEdge C6320
- PowerEdge C6320P
- PowerEdge C6420
- PowerEdge FC420
- PowerEdge FC430
- PowerEdge FC620
- PowerEdge FC630
- PowerEdge FC640
- PowerEdge FC830
- PowerEdge FX2
- PowerEdge M630P
- PowerEdge M640
- PowerEdge M640 VRTX
- PowerEdge R200
- PowerEdge R230
- PowerEdge R230XL
- PowerEdge R240
- PowerEdge R300
- PowerEdge R320
- PowerEdge R330
- PowerEdge R330XL
- PowerEdge R340
- PowerEdge R410
- PowerEdge R415
- PowerEdge R420
- PowerEdge R430
- PowerEdge R440
- PowerEdge R510
- PowerEdge R515
- PowerEdge R520
- PowerEdge R530
- PowerEdge R540
- PowerEdge R610
- PowerEdge R620
- PowerEdge R630
- PowerEdge R640
- PowerEdge R6415

- PowerEdge R710
- PowerEdge R715
- PowerEdge R720
- PowerEdge R720XD
- PowerEdge R730
- PowerEdge R730XD
- PowerEdge R730xd XL
- PowerEdge R740
- PowerEdge R740XD
- PowerEdge R740xd2
- PowerEdge R7415
- PowerEdge R7425
- PowerEdge R805
- PowerEdge R810
- PowerEdge R815
- PowerEdge R820
- Poweredge R830
- PowerEdge R840
- PowerEdge R900
- PowerEdge R905
- PowerEdge R910
- PowerEdge R920
- PowerEdge R930
- PowerEdge R940
- PowerEdge R940xa
- PowerEdge T130
- PowerEdge T140
- PowerEdge T330
- PowerEdge T340
- PowerEdge T410
- PowerEdge T420
- PowerEdge T430
- PowerEdge T440
- PowerEdge T620
- PowerEdge T630
- PowerEdge T640
- PowerEdge T710

- PowerEdge XR2
- PowerVault DL2100
- PowerVault DL2200
- PowerVault DR4100
- PowerVault DX6104 SN
- PowerVault NX3000
- PowerVault NX3200
- PowerVault NX3300
- PowerVault NX400
- PowerVault NX440

[立即購買](#)